

2021

MATHEMATICS — HONOURS

Paper : CC-3

(Real Analysis)

Full Marks : 65

The figures in the margin indicate full marks.

*Candidates are required to give their answers in their own words
as far as practicable.*

\mathbb{N} , \mathbb{R} , \mathbb{Q} denote the set of all natural, real and rational numbers respectively.

Notations and symbols have their usual meanings.

1. Answer *all* the following multiple choice questions. For each question 1 mark for choosing correct option and 1 mark for justification. 2×10

(a) Let $A = [0, 1]$ and $B = \left\{ \frac{1}{n} : n \in \mathbb{N} \right\}$. Then $A - B$ is

- (i) an open set (ii) a closed set
(iii) neither an open nor a closed set (iv) a clopen set.

(b) Let $B = \left\{ \frac{1}{2n} + \frac{1}{3m} : n, m \in \mathbb{N} \right\}$. Then $\frac{1}{3}$ is

- (i) a limit point of the set but not an element of the set
(ii) not a limit point of the set but an element of the set
(iii) both an element and a limit point of the set
(iv) neither an element nor a limit point of the set.

(c) If A, B are bounded subsets of \mathbb{R} such that $\text{Sup } A < \text{Inf } B$, then

- (i) $A \subset B$ (ii) $A \cap B = \phi$
(iii) $A \cap B \neq \phi$ (iv) $A = B$.

(d) The set $T = \{(x_1, x_2, \dots, x_n) : x_1, x_2, \dots, x_n \in \{1, 3, 5, 7, 9\}\}$ is

- (i) empty (ii) finite
(iii) enumerable (iv) uncountable.

Please Turn Over

- (e) Which of the following statement is true?
- (i) Every bounded set has a limit point
 - (ii) Every infinite set has a limit point
 - (iii) Every bounded infinite set has an interior point
 - (iv) Every uncountable set has a limit point.
- (f) If $0 < x < 2021$, then $\lim_{n \rightarrow \infty} \left(\frac{x^{n+1} + 2021^{n+1}}{x^n + 2021^n} \right)$ is
- (i) 0
 - (ii) x
 - (iii) 2021
 - (iv) 1.
- (g) If $x_n = \frac{1 + \sin(n^2 + 1)\pi + \cos(n^3 - 5)\pi}{n + 1}$, then $\limsup x_n$ is
- (i) 3
 - (ii) 2
 - (iii) 1
 - (iv) 0.
- (h) Identify the incorrect statement from the following :
- (i) Every convergent sequence is bounded.
 - (ii) Every bounded sequence has at least one subsequential limit.
 - (iii) Unbounded sequence cannot have any subsequential limit.
 - (iv) Unbounded sequence is never a Cauchy sequence.
- (i) Let $\{a_n\}$ be a sequence of positive integers and bounded by a positive integer k . Then the series
- $$\sum_{n=1}^{\infty} \frac{a_n}{(k+1)^n}$$
- (i) must be convergent
 - (ii) must be divergent
 - (iii) may be convergent
 - (iv) may be divergent.
- (j) The series $\sum_{n=1}^{\infty} \frac{2n^2}{1+n^2}$
- (i) converges to 0
 - (ii) converges to 1
 - (iii) diverges
 - (iv) converges to 2.

Unit - 1Answer **any four** questions.

2. (a) Let, S, T be two non-empty bounded below sets of real numbers such that $S \subseteq T$. Prove that $\text{Inf} S \geq \text{Inf} T$.
- (b) Let A and B be two non-empty bounded subsets of \mathbb{R} .
Prove that $\text{inf}(A \cup B) = \text{Minimum} \{ \text{inf} A, \text{inf} B \}$. 3+2
3. Show that $\mathbb{N} \times \mathbb{N}$ is enumerable. Hence prove that $S = \{3^i 5^j : i, j \in \mathbb{N}\}$ is enumerable. 3+2
4. (a) Prove or disprove : The complement of any non-empty finite set in \mathbb{R} has at least one limit point in \mathbb{R} .
- (b) Find the derived set of $\{x \in \mathbb{R} : x^2 - 4x + 3 > 0\}$. 3+2
5. (a) Give an example to show that an infinite intersection of open sets is the set $\left\{ \sin \frac{\pi}{7} \right\}$.
- (b) Prove or disprove : Bolzano-Weierstrass theorem cannot be verified with this set $\{n^{(-1)^n} : n \in \mathbb{N}\}$.
- (c) Prove or disprove : The set of all irrational numbers in $[\sqrt{2}, \sqrt{3}]$ is uncountable. 2+2+1
6. Prove that no non-empty proper subset of \mathbb{R} is both open and closed. 5
7. (a) Prove or disprove : If A is a non-empty open set of real numbers, then A is uncountable.
- (b) Prove or disprove : $[0, 3] - \bigcup_{n=1}^{\infty} \left(1 - \frac{1}{n}, 1 + \frac{1}{n}\right)$ is a closed set. 3+2
8. (a) If $a > 0$, show that the set $\{aq : q \in \mathbb{Q}\}$ is dense in \mathbb{R} .
- (b) Check whether the set $\left\{ \frac{1}{n} : n \in \mathbb{N} \right\} \cup \left\{ -\frac{1}{n} : n \in \mathbb{N} \right\} \cup \{0\}$ is a neighbourhood of '0' or not. 3+2

Unit - 2Answer **any four** questions.

9. (a) Prove or disprove : If $\lim x_n = 0$, then $\lim \frac{y_n}{n} = 0$, where $y_n = \sum_{i=1}^n x_i$.
- (b) Prove that the sequence $\{x_n\}$ is bounded, where $x_n = 1 + \frac{1}{1!} + \frac{1}{2!} + \frac{1}{3!} + \dots + \frac{1}{n!}$. 3+2

Please Turn Over

10. (a) Prove or disprove : If $\{x_n\}$ and $\{y_n\}$ are sequences of real numbers such that $\{x_n y_n\}$ is convergent, then both $\{x_n\}$ and $\{y_n\}$ are convergent.
- (b) Prove that the sequence $\left\{\sqrt[5]{n^9}\right\}$ diverges to $+\infty$. 3+2
11. Prove that every Cauchy sequence is convergent. Examine whether $\{x_n\}$ is a Cauchy sequence where $x_n = \frac{1}{2} + \frac{1}{4} + \dots + \frac{1}{2n} \forall n \in \mathbb{N}$. 3+2
12. Prove that every sequence has a monotone subsequence. 5
13. (a) State Sandwich theorem for three sequences of real numbers. Using it find $\lim_{n \rightarrow \infty} \frac{\cos(3n^3 + 4n^2 - 7)}{n^4 + 1}$.
- (b) Prove or disprove : If $\{x_n\}$ is a bounded sequence of real numbers and $\lim y_n = 0$, then $\lim x_n y_n = 0$. (1+2)+2
14. (a) Find the upper and lower limits, if exist, of $\left\{\frac{2x^2}{7} - \left[\frac{2x^2}{7}\right]\right\}$, where $[x]$ is the greatest integer $\leq x$.
Is the sequence convergent? Justify.
- (b) Prove or disprove : For any two bounded sequences $\{x_n\}$ and $\{y_n\}$ of real numbers, $\underline{\lim}(x_n + y_n) = \underline{\lim} x_n + \overline{\lim} y_n$. (2+1)+2
15. (a) Prove or disprove : If $\{I_n\}$ is a sequence of non-empty open intervals such that $I_{n+1} \subset I_n$ and $\lim l(I_n) = 0$, where $l(I_n)$ stands for length of I_n , then $\bigcap_{n \in \mathbb{N}} I_n$ contains exactly one real number.
- (b) Show that $\lim_{n \rightarrow \infty} \frac{(n!)^{\frac{1}{n}}}{n} = \frac{1}{e}$. 3+2

Unit - 3

Answer *any one* question.

16. (a) Test the convergence of the infinite series $\sum_{n=1}^{\infty} (-1)^n \frac{n+2}{2^n + 7}$.
- (b) Prove or disprove : If $\sum u_n$ with $u_n > 0$ is convergent, then $\sum \sqrt{u_n u_{n+1}}$ is convergent. 3+2
17. State Gauss test. Test the convergence of the series : $\left(\frac{1}{2}\right)^2 + \left(\frac{1.3}{2.4}\right)^2 + \left(\frac{1.3.5}{2.4.6}\right)^2 + \dots$ 1+4
-